

Specificatii pentru produsele de lubrifiere Agip

- reperi:

- segment din categoria uleiuri de motor
- segment din categoria uleiuri industriale

7004 5W40	Motoare [D] si pe [B]	Ulei [S]	API SJ/CF, ACEA A3, B3	VW 500.00, 505.00, 505.01
7004 5W40				
7005 0W30	Motoare [D] si pe [B]	Ulei [S]	ACEA A1, B1	VW 503.00, 506.00
7005 0W30				
7007 0W30	Motoare [D] si pe [B]	Ulei [S], HTHS, intervale de schimb prelungite	ACEA A5, B5	VW 503.00, 506.00, 506.01
7007 0W30				
7008 5W30	Motoare [D] (si cu DPF) si pe [B]	Ulei [S], low SAPS (continut redus de cenusa sulfat), intervale de schimb prelungite	ACEA A3, B4	VW 504.00, 507.00
7008 5W30				
Acer 15	[H]e, circulatie, compresoare, angrenaje	Ulei [M] parafinos	ISO-L-HL, DIN 51517/2-CL, ISO-L-DAB, ISO-L-CKB, DIN 51506-VBL, VCL	Morgoil; Cincinnati P-62; Afnor NF E 48600 HL; Cetop RP 91 H HL; BS 4231 HSC; Denison HF 1A; Ansi/Agma 9005-94; New Sulzer [D] ZBS 2201
Acer 15				
Acer 22				
Acer 22				
Acer 32				
Acer 32				
Acer 46				
Acer 46				
Acer 68				
Acer 68				
Acer 100				
Acer 100				
Acer 150				
Acer 150				
Acer 220				
Acer 220				
Acer 320				
Acer 320				
Acer 460				
Acer 460				
Acer 680				
Acer 800				
Acer 800				
Acer MV 10	[H], lagare cu turatie ridicata, masini textile	Ulei [M] aditivat	ISO-L-HL, ISO-L-FC	
Acer MV 10				
Acorus 7032	Turnare metale in forme	Ulei [M] aditivat		
Alaria 2	Transfer termic	Ulei [M]		
Alaria 3				
Alaria 3				
Alaria 7				
Alnus 136	[PM]	Ulei [M] aditivat		
Alnus 136				
Antifreeze Extra	Antigel/Fluid de racire	Etilen glicol	ASTM D 1384	CUNA NC 956-16
Antifreeze Extra				
Antifreeze Extra				
Antifreeze Spezial	Antigel/Fluid de racire	Etilen glicol	ASTM D 3306, 4656, 4985	VW/Audi/Seat/Skoda TL 774 D/F (G12+); MB 325.3, MB-DBL 7700.30, 325.3; MAN 324 Type SNF; Ford WSS-M 97B44-D; Deutz 0199-99-1115/2091; Opel GM 6277M, Renault RVI 41-01-001/Q type D; NATO S-759
Antifreeze Spezial				
Antifreeze Spezial				

Aquamet 101	[PM]	Ulei [M] aditivat (contine biocizi) - Emulsionabil	ISO-L-MAC	
Aquamet 101				
Aquamet 260 EP		[sS], aditivat EP - Emulsionabil	ISO-L-MAD	
Aquamet 260 EP				
Aquamet 95		Ulei [M] aditivat (fara clor, bor) - Emulsionabil	ISO-L-MAC	
Aquamet 95				
Aquamet LAK-E		Ulei [M] aditivat - Emulsionabil		
Aquamet LAK-E		Ulei [S] aditivat (fara clor si fosfor)		
Aquamet OSL		Ulei [S] aditivat (fara nitriti)		
Aquamet OSL				
Aquamet S 300		Ulei [S] aditivat (fara nitriti, bor, fenol, biocizi)		
Aquamet S 300				
Aquamet S 600 BS				
Aquamet S 600 BS				
Aquamet S 600 BS				
Arnica 22	[H]	Ulei [M] aditivat EP, cu IV ridicat	ISO-L-HV; DIN 51524/3-HVLP	CETOP RP91H HV; Cincinnati P-68, 69, 70; Denison HFO; Vickers M-2950
Arnica 22				
Arnica 32				
Arnica 32				
Arnica 46				
Arnica 46				
Arnica 68				
Arnica 68				
Arnica 100				
Arnica 100				
Arnica 104 FR	[H], greu inflamabil, [BIO]	Polietilenglocoli si apa	ISO-L-HFC	Danieli Standard 0.000.001
Arnica 104 FR				
Arnica A 15	[H], amortizoare moto	Ulei [M] aditivat (AO, AR), cu IV foarte ridicat		
Arnica S 46	[H], greu inflamabil, [BIO]	Ulei [S] pe baza de esteri organici	ISO-L-HFDU; DIN 51524/3-HVLP D	ILVA CRS/TCM 425; Inline Hidraulik; Leduc Hidraulik; Mannesman Rexroth RD 90221; Schaeff
Arnica S 68				
Arum HT 220	Angrenaje	Ulei [S] pe baza de esteri organici		
ASP C 32	Echipamente pneumatice	Ulei [M] compoundat		
ASP C 32				
ASP C 100				
ASP C 100				
Aster FP	[PM]	Ulei [M] aditivat, fara clor	ISO-L-MHC	
Aster FP				
Aster ML				
Aster ML				
Aster MM				
Aster MM/E				
Aster MM/E				
Aster MP				
Aster MP				
Aster RF				
Aster S				
Aster S				
Aster TA				
Aster TA				
Aster TA/E				
Aster TG				
Aster TG				

ATF II D	[TA]	Ulei [M] aditivat		GM Dexron II D; Cat. TO-2; Voith G 607; MB 236.6; MF M-1110; Ford M2C 138CJ, M2C 166H; ZF TE-ML 09, 11A, 14D; Renk Doromat; MAN 339 Type D (I); Allison C-4; BMW; Maserati		
ATF II D						
ATF II D		Ulei [S] aditivat		GM Dexron II E; Voith G 607, 55.6336.30 (G 1363); MB 236.8; Ford M2C 138CJ, M2C 166H; ZF TE-ML 09, 14C; MAN 339 Type D (2); Ford Mercon; BMW BG 24		
ATF II E						
ATF II E		Compresoare frigorifice		Ulei [M]	DIN 51503 KA, KC	MM-O-2008 tip II (NATO O-283); MM-O-2008 tip IV (NATO O-290); SABROE (0170-104-EN-M); ZANUSSI
Betula 32						
Betula 32						
Betula 46						
Betula 46						
Betula 68						
Betula 68						
Betula S 32						
Betula S 46						
Betula S 68						
Betula S 68						
Betula S 100						
Betula S 100						
Blasia 32	Cuplaje Voith, [H]	Ulei [M] aditivat		Voith GP 663 (Voith Druck 8.88); Voith Turbo 3.625-6073		
Blasia 32	Angrenaje industriale	Ulei [M] aditivat EP	ISO-L-CKD; DIN 51517/3-CLP	US Steel 224; David Brown S1.53.101 (5E); Cincinnati Milacron P-63		
Blasia 68				US Steel 224; David Brown S1.53.101 (5E)		
Blasia 68				US Steel 224; David Brown S1.53.101 (5E); Cincinnati Milacron P-77		
Blasia 100				US Steel 224; David Brown S1.53.101 (5E); Cincinnati Milacron P-74		
Blasia 100				US Steel 224; David Brown S1.53.101 (5E)		
Blasia 150				US Steel 224; David Brown S1.53.101 (5E); Cincinnati Milacron P-35		
Blasia 150				US Steel 224; David Brown S1.53.101 (5E)		
Blasia 220				US Steel 224; David Brown S1.53.101 (5E)		
Blasia 220				US Steel 224; David Brown S1.53.101 (5E)		
Blasia 320		Ulei [S] (poliglicoli) aditivat EP	ISO-L-CKD; DIN 51502 PGLP	Schindler		
Blasia 320						
Blasia 460						
Blasia 460				Ulei [S] (PAO - polialfaolefine) aditivat EP	ISO-L-CKT; DIN 51502 PGLP; AGMA 9005 D-94	Alfa Laval
Blasia 680						
Blasia 680						
Blasia S 150						
Blasia S 150						
Blasia S 220						
Blasia S 220						
Blasia S 320						
Blasia S 320						
Blasia SX 100						
Blasia SX 220						
Blasia SX 220						
Blasia SX 320						
Blasia SX 320						
Brake Fluid DOT 4		Sisteme de franare auto	Poliglicoli si alchil esteri, aditivi		SAE J 1703; ISO 4925; FMVSS 116	
Brake Fluid DOT 4	FMVSS 116/DOT 5.1					
Brake Fluid DOT 4						
Brake Fluid DOT 4						
Brake Fluid DOT 5.1						
Brake Fluid DOT 5.1						
City 2T - 0.125 L	Motoare in doi timpi	Ulei [sS], reduce emisia de fum	API TC; JASO FC			
City 2T						
City 2T						
City 4T 10W40	Scootere cu motoare in patru timpi	Ulei [sS]	API SJ; ACEA A3; JASO MA			

Codium 15	Masini textile	Ulei [M]		Sulzer-Morat; Savio
Codium 15				
Codium 32				
Dexron III	[TA]	Ulei [M] aditivat		GM Dexron III (G-34193); Allison C-4; Voith G 607; MB 236.1, 236.5; MF TE-ML 03, 11B, 14D; MAN 339 Type F; BMW
Dexron III				
Dexron III				
Dicrea 32	Compressoare de aer (gaze)	Ulei [M] aditivat	ISO-L-DAA, DAG; DIN 51506 VDL	Atlas Copco; Ceccato; Boge; Fini; Ingersoll-Rand; Hatplata; JML; Kaeser; Mattei; Nuovo Pignone; Pneumofore; Sauer
Dicrea 32			ISO-L-DAA, DAG; DIN 51506 VBL	
Dicrea 46		Ulei [S] (esteri)	ISO-L-DAB, DAH; DIN 51506 VDL	SPEERE
Dicrea 46				
Dicrea 68				
Dicrea 68				
Dicrea 100				
Dicrea 100				
Dicrea 150				
Dicrea 150				
Dicrea 220				
Dicrea 220				
Dicrea 320				
Dicrea 320				
Dicrea ESX 100				
Dicrea ESX 100				
Dicrea S 150				
Dicrea S 150				
Dicrea SX 32	Compressoare de aer (gaze)	Ulei [S] (PAO - polialfaolefine) aditivat	ISO-L-DAB, DAH; DIN 51506 VDL	
Dicrea SX 32				
Dicrea SX 46				
Dicrea SX 46				
Dicrea SX 68				
Dicrea SX 68				
[D] Sigma S 30	Motoare [D] cu aspiratie normala sau supraalimentare	Ulei [M] aditivat	API CD/SF; MIL-L-2104 E, 46152 C; CCMC D-4, G-2; Allison C-3	
[D] Sigma S 30			API CD/SF; MIL-L-2104 E, 46152 C; CCMC D-4, G-2	
[D] Sigma S 30			API CD/SF; MIL-L-2104 E, 46152 C; CCMC D-4, G-2; Allison C-3	
[D] Sigma S 40				
[D] Sigma S 40				
[D] Sigma S 40				
[D] Sigma S 10W20				
[D] Sigma S 10W20				
[D] Turbo SHPD 20W50	Motoare [D] supraalimentate	Ulei [M] aditivat; intervale prelungite de schimb	ACEA E2; API CF-4/SG	MB 228.1; MAN 271
[D] Turbo SHPD 20W50				
Ecopermanent	Antigel/Fluid de racire (folosit ca atare)	Polipropilenglicol fara nitriti, amine si fosfati	ASTM D 3306, 2570, 4340	BMW 291-A; CUNA 956-10; Maserati
Ecopermanent				
EMD 40	Motoare [D] pentru locomotive	Ulei [M] aditivat	GM-ML 1761; GE-GEK 61435	
Eurosports 5W50	Motoare pentru competitii	Ulei [S] (PAO - polialfaolefine) aditivat	API SG/CD; CCMC G-5, PD-2	VW 501.01, 505.00
Eurosports 5W50				
Eurosports 5W50				
Exidia HG 32	Ghidaje	Ulei [M] aditivat anti "stick-slip"	ISO-L-G, CKE, HG; DIN 51502 CGLP	Cincinnati P-53 (VG 32); Stanimuc G 32; Wohlenberg
Exidia HG 32				
Exidia HG 68				
Exidia HG 68				
Exidia HG 220				
Exidia HG 220				

Extra HTS 5W40	Motoare [D] si pe [B]	Ulei [S] aditivat	ACEA A3/B3/B4; API SL/CF;	BMW Long Life; MB 229.3; VW 502.00, 505.00; Renault (Megane, Scenic); Porsche																			
Extra HTS 5W40		Ulei [M] aditivat	ACEA A3/B3; API SL/CF; CCMC G-4, PD-2; MIL-L-46152D	MB 229.1; VW 501.01, 505.00; Ford SSM-2C 9011A, ESE-M2C 153C; GM 6085M; Rovern Res.22.02.02.G-4																			
Extra HTS 5W40			ACEA A3/B3; API SJ/CF; CCMC G-4, PD-2;																				
Extra HTS 5W40						ACEA A3/B3; API SJ/CF; CCMC G-4, PD-2;																	
F 1 Supermotoroil 15W40								ACEA A3/B3; API SJ/CF; CCMC G-4, PD-2;															
F 1 Supermotoroil 15W40										ACEA A3/B3; API SJ/CF; CCMC G-4, PD-2;													
F 1 Supermotoroil 15W40												ACEA A3/B3; API SJ/CF; CCMC G-4, PD-2;											
F 1 Supermotoroil 15W40														ACEA A3/B3; API SJ/CF; CCMC G-4, PD-2;									
F 1 Supermotoroil 20W50																ACEA A3/B3; API SJ/CF; CCMC G-4, PD-2;							
F 1 Supermotoroil 20W50																		ACEA A3/B3; API SJ/CF; CCMC G-4, PD-2;					
F 1 Supermotoroil 20W50																				ACEA A3/B3; API SJ/CF; CCMC G-4, PD-2;			
F 1 Supermotoroil 20W50																						ACEA A3/B3; API SJ/CF; CCMC G-4, PD-2;	
F 1 Supermotoroil 20W50																							
Feltria B 15	Masini textile	Ulei [M] incolor																					
Feltria B 15		Ulei [sS], lavabil																					
Feltria B 46																							
Feltria B 46																							
Feltria B 100																							
Feltria S 32																							
Fin 332 F	Angrenaje deschise	Ulei rezidual cu solvent	ISO-L-CH-DIL; DIN 51523 BC-V																				
Fin 332 F																							
Fließfett ZSA 00/000	Sisteme centralizate de lubrifiere	Unsoare semifluida cu sapun de litiu		MAN 283; MB 264; Willi Vogel; De Limon Flume; Lincoln; Deutsche Tecalemit																			
Fließfett ZSA 00/000																							
Fließfett ZSA 00/000																							
Fließfett ZSA 00/000																							
Getriebeoel VSL-4 75W85	Angrenaje auto	Ulei [S]	API GL-4	MAN Type TL; ZF TE-ML 02D; MB 235.4; Voith Retarder; DAF; Scania cu ZF-Retarder																			
Getriebeoel VSL-4 75W85																							
Geum 30	Motoare cu gaze naturale sau GPL	Ulei [M]		Caterpillar; Cooper-Superior; Dressed-Rand (I, II, III); Waukesha VHP; Deutz-MWM																			
Geum 30																							
Geum 40																							
Geum 40																							
Geum C 40	Motoare cu gaze naturale	Ulei [M]	API CD	Vartsila; Guascor																			
Geum C 40																							
Geum E																							
Grease 15	Lubrifiere generala	Sapun de Ca	NLGI 1	NATO S.N. 9150-15-137-8228																			
Grease 15			NLGI 2																				
Grease 15																							
Grease 16																							
Grease 16																							
Grease 16																							
Grease 16																							
Grease 30	Rulmenti	Unsoare multifunctionala, cu sapun de Li	NLGI 2; ISO-L-X-BCHA2; DIN 51825 K2K-20	NATO S.N. 9150-15-136-0171																			
Grease 30																							
Grease 30																							
Grease 30																							
Grease 30																							
Grease 33 FD	Rulmenti auto	Unsoare cu ingrosator [S]	NLGI 3	Alfa Romeo																			
Grease 33 FD																							
Grease 33 FD																							
Grease API 5A2	Prajini de foraj	Sapun de Li cu pulberi de grafit, Pb, Cu, Zn	API 5A2																				

Grease CC 1	Lubrifiere generala	Sapun de Ca	NLGI 1	
Grease CC 1			NLGI 2	
Grease CC 1			NLGI 3	
Grease CC 2			NLGI 4	
Grease CC 2				
Grease CC 2				
Grease CC 3				
Grease CC 3				
Grease CC 3				
Grease CC 4				
Grease LP 0				Sapun de Li-Ca
Grease LP 0	NLGI 1			
Grease LP 1	Sapun de Li, cu aditivi EP	NLGI 2		
Grease LP 1		NLGI 1		
Grease LP 2		NLGI 2		
Grease LP 2		NLGI 3		
Grease MU 1				
Grease MU 1				
Grease MU 1				
Grease MU 2				
Grease MU 2				
Grease MU 2				
Grease MU 3				
Grease MU 3				
Grease MU 3				
Grease MU 00	Lubrifiere generala, sisteme centralizate	Sapun de Li	NLGI 00	
Grease MU 00		Sapun de Li, cu aditivi EP	NLGI 0	
Grease MU 00				
Grease MU 00 JD				
Grease MU 00 JD				
Grease MU EP 0		NLGI 1		
Grease MU EP 0				
Grease MU EP 0				
Grease MU EP 1				
Grease MU EP 1				
Grease MU EP 1				
Grease MU EP 2	Lubrifiere generala		NLGI 2	
Grease MU EP 2				
Grease MU EP 2			NLGI 3	
Grease MU EP 3				
Grease MU EP 3				
Grease MU EP 3				
Grease MU EP 00	Lubrifiere generala, sisteme centralizate	Sapun de Li, cu aditivi EP	NLGI 00	
Grease MU EP 00				
Grease MU EP 00				
Grease NF 1	Lubrifiere la temperaturi ridicate	Ingrosator special	NLGI 1	
Grease NF 2			NLGI 2	
Grease NF 2				
Grease NG 3	Lubrifiere la incarcari ridicate	Sapun de Ca cu grafit	NLGI 3	
Grease NG 3				
Grease NS 4	Valve si ventile din industria de petrol si gaze	Ulei vegetal special tratat (insolubila in solventi organici)	NLGI 4	
Grease NS 4				
Grease PV 2	Lubrifiere si protectie anticoroziva	Sapun anhidru de Ca	NLGI 2; TL 9150-066 (NATO G-460)	TL 9150-066 (NATO G-460)

Grease SLL 00	Angrenaje inchise, sisteme centralizate	Sapun de Li cu ulei [S]	NLGI 00; ISO-L-CKG; DIN GPG00K-30	
Grease SLL 00				
Grease SM 1	Lubrifiere generala	Sapun de Li cu MoS2	NLGI 1; ISO-L-X-BCHB 1; DIN K1K-20	
Grease SM 1				
Grease SM 1				
Grease SM 2			NLGI 2; ISO-L-X-BCHB2; DIN K2K-20	
Grease SM 2				
Grease SM 3			NLGI 3; ISO-L-X-BCHB 3; DIN K3K-20	
Grease SM 3				
Ite 320	Transformatoare electrice	Ulei naftenic	IEC 296; BS 148; DIN 57370; VDE 0370; CEI 10-1	
Ite 360				
Ite 360/G				
LHM Super	Fluid [H] pentru autovehicule	Ulei [M] aditivat	Citroen PSA-B-712710	Komatsu (WA 80)
Marinemix SM	Motoare in doi timpi pentru ambarcatiuni	Ulei [M] aditivat	NMMA TC-W3	
Marinemix SM				
Marinemix SM				
Motor Oil HD 20W40	Motoare [D] si pe [B]	Ulei [M] aditivat	API SF/CC; MIL-L-46152C; CCMC G-2, D-1	Ford EU SSM-2C 9011A; Ford US ESE-M2C 153C; GM 6085M
Motor Oil HD 20W40				
Motor Oil HD 20W40				
Motor Oil HD 20W40				
MP Grease Con Pompa	Lubrifiere generala	Sapun Li-Ca cu aditivi EP	NLGI 2	
MP Grease Senza Pompa				
Multitech 10W30	Motoare ([D] si pe [B]), angrenaje, sisteme [H]e	Ulei [S] aditivat	API CE/SF/CF-4; API GL-4+; CCMC D4/G2; DIN HLP; JD J27	
Multitech 2000 10W40		Ulei [sS] aditivat	API CE/SF/CF-4; API GL-4+; CCMC D4/G2; MIL-L-2104D/46152B, 2105; DIN HM/HV/HLP; Allison C-4;	MB 227.1, 228.1; JD J27; Caterpillar TO-2; Ford M2C 159C; MF M 1144; ZF TE-ML 06B, 06C, 07B
Multitech 2000 10W40				
Multitech 2000 10W40				
Obi 10	Industrie alimentara, farmaceutica, compresoare polietilena	Ulei alb		European Pharmacopoeia; USA FDA, 21 CFR 172.878; USA FDA, 21 CFR 178.3620 (a)
Obi 10				
Obi 12	Industrie alimentara, farmaceutica			
Obi 12				
Obi 13	Industrie textila, fabricarea cauciucului			
Obi 13				
OPL 5	Lubrifiere brose cu turatii ridicate; [PM] (lepuire, honuire, rectificare)	Ulei [M] aditivat (fara clor)		

Oso 10	Sisteme [H]e, angrenaje, lagare etc.	Ulei [M] aditivat EP	ISO-L-FD (VG 10...22); ISO-L-HM (VG 32...150); DIN HLP; AFNOR NF E 48603 HM; CETOP RP 91 H HM; Denison HF-2; VDMA 24318; BS 4231 HSD	Hydromatic (Rexroth); Horbigen [H]; Linde; Sauer; ZF TE-ML 12																														
Oso 10																																		
Oso 15																																		
Oso 15																																		
Oso 22																																		
Oso 22																																		
Oso 32																																		
Oso 32																																		
Oso 46																																		
Oso 46																																		
Oso 68																																		
Oso 68																																		
Oso 100																																		
Oso 100																																		
Oso 150																																		
Oso 150																																		
Oso D 22																																		
Oso D 22																																		
Oso D 32																																		
Oso D 32																																		
Oso D 46																																		
Oso D 46																																		
Oso D 68																																		
Oso D 68																																		
Ote 32	Turbine cu abur, gaze, apa	Ulei [M] aditivat AO, AC, AS	DIN 51506 VBL, VCL; DIN 51515; DIN 51515 L-TD; DIN 51517 Part 3 - CLP	ABB HTGD 90117; AEG KANIS 14-7-1970; AEG PV 19885; BS 489; CEI 10-8; Cincinnati P-38 (VG 32), P-55 (VG 46), P-54 (VG 68); DIN 51515/1; Escher Wyss 2050995 F; GE GEH-709V, GEI-41003G, GEK-27143; IEC 962; ISO-L-TSA; KWU TLV 901301; NATO O-240 (MM-O-2001); NF 384 AFT 141; Siemens KR 900/01-1; UNI ISO 8086; Thyssen TH-N 256 142																														
Ote 32																																		
Ote 46																																		
Ote 46																																		
Ote 68																																		
Ote 68																																		
Ote 80																																		
Ote 80																																		
Ote 100																																		
Ote 100																																		
Ote 65 MM	Turbine navale cu abur	Ulei [M] aditivat AO, AC, AS	M.M. O-2001 (NATO O-240)																															
Ote GT 32	Turbine cu gaze	Ulei [M] cu excelente proprietati antioxidante	ISO-L-TGB	GE GEK-32568F; Caterpillar/Solar ES 9-224																														
Ote GT 46					Ote TCA 46 A	Turbocompresoare cu amoniac	Ulei [M] compatibil cu amoniacul		De Laval Supplement 1 - FORM 125 (R5)	Precis HLP-D 32	Sisteme [H]e, angrenaje, lagare etc.	Ulei [M] aditivat EP si detergent-dispersant	DIN 51524/2 HLP D		Precis HLP-D 46	Racing 10W60	Motoare pe [B] (competitii, curse)	Ulei [S]	API SL		Racing 10W60	Racing 10W60	Racing 2T	Motociclete cu motoare in doi timpi (competitii)	Ulei [S] (ricin)			Racing 4T 10W60	Motociclete cu motoare in patru timpi (competitii)	Ulei [S]	API SG, JASO MA	MV	Racing 4T 20W50	API SJ, ACEA A3, JASO MA
Ote TCA 46 A	Turbocompresoare cu amoniac	Ulei [M] compatibil cu amoniacul		De Laval Supplement 1 - FORM 125 (R5)																														
Precis HLP-D 32	Sisteme [H]e, angrenaje, lagare etc.	Ulei [M] aditivat EP si detergent-dispersant	DIN 51524/2 HLP D																															
Precis HLP-D 46					Racing 10W60	Motoare pe [B] (competitii, curse)	Ulei [S]	API SL		Racing 10W60	Racing 10W60	Racing 2T	Motociclete cu motoare in doi timpi (competitii)	Ulei [S] (ricin)			Racing 4T 10W60	Motociclete cu motoare in patru timpi (competitii)	Ulei [S]	API SG, JASO MA	MV	Racing 4T 20W50	API SJ, ACEA A3, JASO MA		Racing 4T 5W40		Moto Guzzi							
Racing 10W60	Motoare pe [B] (competitii, curse)	Ulei [S]	API SL																															
Racing 10W60																																		
Racing 10W60																																		
Racing 2T	Motociclete cu motoare in doi timpi (competitii)	Ulei [S] (ricin)																																
Racing 4T 10W60	Motociclete cu motoare in patru timpi (competitii)	Ulei [S]	API SG, JASO MA	MV																														
Racing 4T 20W50			API SJ, ACEA A3, JASO MA																															
Racing 4T 5W40				Moto Guzzi																														

Rotra 80W90	Angrenaje auto	Ulei [M] aditivat antiuzura	API GL-1, GL-3	
Rotra 80W90				
Rotra 80W90				
Rotra 85W140				
Rotra 85W140				
Rotra 85W140				
Rotra ATF	[TA], cutii de viteze, servodirectii	Ulei [M] aditivat antiuzura		Allison C-4; GM ATF Type A Suffix A; MAN 339 A; MF M-1110; MB 236.2; Renk-Doromat; Sauer/Sundstrand
Rotra ATF				
Rotra ATF				
Rotra CT 30	Transmisii, diferentiale, trolii etc.	Ulei [M] aditivat	API CD/CF-2; Allison C-4;	Komatsu Desser; Eaton; Dana; Caterpillar TO-4; ZF TE-ML 01
Rotra CT 30				
Rotra CT 30				
Rotra CT 50				
Rotra CT 50				
Rotra CT 50				
Rotra CT 60				
Rotra CT 10W				
Rotra CT 10W				
Rotra CT 10W				
Rotra HY 80W90	Angrenaje, inclusiv hipoide	Ulei [M] aditivat EP	API GL-4; MIL-L-2105;	ZF TE-ML 02, 08; MAN N 341
Rotra HY 80W90				
Rotra HY 85W140				
Rotra HY 85W140				
Rotra HY DB 80W	Angrenaje hipoide	Ulei [M] aditivat EP	API GL-4; MIL-L-2105;	ZF TE-ML 02, 08; MAN N 341
Rotra HY DB 80W				
Rotra HY DB 80W				
Rotra JD/F 80W	Sisteme centralizate pentru tractoare	Ulei [M] aditivat	API GL-4; Allison C-4	Caterpillar TO-2; Ford ESN-M2C 134D; J.I. Case MS 1206; John Deere JDM J20-C; MF M-1141
Rotra JD/F 80W				
Rotra LSX 75W90	Cutii de viteze si diferentiale	Ulei [S] aditivat	API GL-4, GL-5, MT 1, PG-2; MIL-L-2105D, PRF-2105E	ZF TE-ML 01,02, 05, 07, 08; Scania STO1; MAN 3343SL; Maserati
Rotra LSX 75W90				
Rotra MP 75W80W	Cutii de viteze, angrenaje hipoide etc.	Ulei [M] aditivat EP	API GL-5, MIL-L-2105D	GM MS 9985290; Ford SQM-M2C-9002A/9008A/9101A, ESP-M2C-154A, ESW-M2C-105A; Opel B 0401010; MAN 342 N; Volvo 97310/97313/97314; ZF TE-ML 01, 05A, 07A, 16C, 17B, 19B; Chrysler MS-5644; VW TL 727/726
Rotra MP 75W80W				
Rotra MP 80W90				
Rotra MP 80W90				
Rotra MP 80W90				
Rotra MP 80W90				
Rotra MP 80W90				
Rotra MP 80W90				
Rotra MP 85W140				
Rotra MP 85W140				
Rotra MP 85W140				
Rotra MP DB 85W90	Angrenaje hipoide	Ulei [M] aditivat EP	API GL-5	MB 235.0
Rotra MP DB 85W90				
Rotra MP/S 85W90	Angrenaje autoblocante si hipoide	Ulei [M] aditivat EP	API GL-5; MIL-L-2105D	Ford ESP-M2C-154A, ESW-M2C-105A; ZF TE-ML 05
Rotra MP/S 85W90				
Rotra Multi THT 80W	Universal pentru tractoare	Ulei [M] aditivat	API GL-4; Allison C-4	Ford M2C-86B, 134 B/C; J.I. Case MS-1205/1206/1207; MF M 1135/1141; Caterpillar TO-2; Same/Landini; Komatsu (WA)
Rotra Multi THT 80W				
Rotra SX/S 75W90	Angrenaje cu autoblocare	Ulei [S] EP, cu limitarea alunecarii (LS- Limited Slip)	API GL-5+LS; ZF TE-ML 05D; MIL-L-2105D, PRF-2105E	Ferrari
Rotra SX/S 75W90				

Rotra Truck Gear 80W90	Cutii de viteze si diferentiale	Ulei [M] EP	API GL-4 + GL-5, MT 1, PG-2; MIL-L-2105D; MIL-PRF-2105E	Scania STO 1; MAN M 3343 ML; ZF TE-ML 02B, 05A, 07A, 12E, 16B, 17B	
Rotra Truck Gear 80W90			API GL-4 + GL-5, MT 1, PG-2; MIL-L-2105D; MIL-PRF-2105E	Scania STO 1; MAN M 3343 ML; ZF TE-ML 05A, 07A, 12E, 16D, 17B	
Rotra Truck Gear 85W140		Ulei [S] EP	API GL-4 + GL-5, MT 1, PG-2; MIL-L-2105D; MIL-PRF-2105E	Scania STO 1; MAN M 3343 ML; ZF TE-ML 01, 02, 05, 07, 08	
Rotra Truck Gear 85W140					
Rotra Truck Gear S 75W90					
Rotra Truck Gear S 75W90					
Rustia 27	Protectie anticoroziva	Ulei [M]			
Rustia 27		Ulei [M] cu solventi			
Rustia 68/F		Ulei [M]			
Rustia 68/F					
Rustia 81					
Rustia 81					
Rustia C 30	Protectie anticoroziva si ungere motoare	Ulei [M]	API CC/SF; MIL-L-21260 C Type I		
Rustia NT	Protectie anticoroziva oteluri zincate	Ulei [M]			
Sigma Super TFE 10W40	Motoare cu performante ridicate	Ulei [M] UHPD	ACEA E7, E5, E4, B4; API CI-4/SL; Allison C-4	MAN M 3277 CRT; VW 505.00; Volvo VDS-2; MB 228.5, 229.1; ZF TE-ML 04C; Caterpillar TO-2; MTU-3; Renault RVI-RXD	
Sigma Super TFE 10W40			Ulei [S] SHPD	ACEA E5, E3, B3, A2; API CH-4/SJ; Allison C-4	MAN M 3275; VW 500.00/505.00; Volvo VDS-2; MB 228.3, 229.1; ZF TE-ML 04C; Caterpillar TO-2; MTU-2; Renault RVI-RLD, RD-2; Mack EO-M, T9; DAF/Scania; Komatsu (WA 80-5, W 70-5, W 65-5)
Sigma Super TFE 10W40		Ulei [M] SHPD	ACEA E7, E5, E3, B3; API CI-4/SL; Allison C-4; CES 20071, 20072, 20076, 20078; MIL-L-2104E, 46152E	MAN M 3275; Volvo VDS-3; MB 228.3; Caterpillar TO-2; MTU-2; Renault RVI-RLD, RD-2, RLD-2; Mack Eo-M/EO-M Plus, T9	
Sigma TFE 10W40					
Sigma TFE 10W40					
Sigma TFE 10W40					
Sigma Truck 15W40		Ulei [S], UHPD	ACEA E4, API CF	MB 228.5; MAN M 3277; Volvo VDS-2; Renault RXD; MTU-3; Mack T9	
Sigma Truck 15W40					
Sigma Truck 15W40					
Sigma Truck 15W40					
Sigma Trucksint TFE 5W30					
Sigma Trucksint TFE 5W30					
Sigma Turbo 15W40		Motoare cu si fara supraalimentare	Ulei [M] SHPD	ACEA E3; API CG-4/SG; CCMC D-5/PD-2; MIL-L-2104E/46152E	MAN M 3275; Mack EO-L; Volvo VDS-2; MTU-2; MB 228.3
Sigma Turbo 15W40					
Sigma Turbo 15W40					
Sigma Turbo 15W40					
Sigma Turbo 15W40					
Sigma Turbo 20W50					
Sigma Turbo 20W50					
Sigma Turbo 20W50					
Sigma Ultra Plus TFE 10W40	Motoare puternic solicitate	Ulei special, low SAPS (continut redus de cenusa sulfat, sulf si fosfor), tip UHPD	ACEA E6, E4; Allison C-4;	MB 228.51; MAN M 3477, 3277 CRT low ash; VW 505.00; Caterpillar TO-2; DAF HP-2; ZF TE-ML 04C; MTU-3; Renault RVI/RXD	
Sigma Ultra Plus TFE 10W40		Ulei special, UHPD	ACEA E4, API CF-4/SF	MAN M 3277; MB 228.5; Volvo VDS II, MTU-3; Daf; Iveco; Scania LDF	
Sigma Ultra TFE 10W40					
Sigma Ultra TFE 10W40					
Silis Grease HTL 1	Lubrifiere la temperaturi ridicate	Unsoare cu ingrosator anorganic	NLGI 1		
Silis Grease HTL 1					

Simblum 2/A	Tratament termic, viteze ridicate de calire	Ulei parafinos		
Simblum 23	Tratament termic			
Simblum 26/A	Tratament termic, viteze ridicate de calire			
Simblum 3	Tratament termic			
Simblum 3				
Simblum 3/A	Tratament termic, viteze ridicate de calire			
Simblum 3/L	Tratament termic, lavabil			
Sint 2000 10W40	Motoare [D] si pe [B]	Ulei [S] (esteri)	ACEA A3/B3, A3/B4; API SL/CF	MB 229.1; VW 500.00/505.00; GM 6094M; Ford EU-SSM-2C-9011A; BLS 22.02.07; Alfa Romeo; Ferrari; Volvo; Peugeot; Porsche
Sint 2000 10W40				
Sint 2000 10W40				
Sint 2000 10W40				
Sint 2000 10W40				
Sint 2000 Turbo[D] 10W40	Motoare [D] cu si fara supraalimentare	Ulei [S]	ACEA B3, B4; API CF/SH; CCMC D-4/PD-2; MIL-L-2104C/46152D	VW 505.00; Rover Group
Sint 2000 Turbo[D] 10W40				
Sint 2000 Turbo[D] 10W40				
Sint 2000 Turbo[D] 10W40				
Sint 2000 Turbo[D] 10W40				
Solaria 32	Industria alimentara si farmaceutica	Ulei alb		
SP Grease LC 1	Lubrifiere la temperaturi si incarcari ridicate	Sapun complex de litiu	NLGI 1; ISO L-X-BDHB 1; DIN 51502 KP 1 N-20	
SP Grease LC 1				
SP Grease LC 2			NLGI 2; ISO-L-X-BDHB 2; DIN 51502 KP 2 N-20	
SP Grease LC 2				
Super 4T 15W50	Motociclete cu motoare in patru timpi	Ulei [M]	ACEA A3; API SJ; JASO MA	
Super 4T 20W50				
Super [D] Multigrade 15W40	Motoare [D] si pe [B]	Ulei [M] SHPD	ACEA E2, B3; API CF-4/CF/SG; Allison C-4	MB 228.1; MAN 271; VW 505.00; MTU-1; Caterpillar TO-2; ZF TE-ML 03A, 04C, 07C
Super [D] Multigrade 15W40				
Super [D] Multigrade 15W40 - 5 L				
Super [D] Multigrade 15W40				
Super [D] Multigrade 15W40				
Super [D] Multigrade 15W40				
Super [D] Multigrade 15W40				
Super [D] Multigrade 15W40				
Super [D] Multigrade 20W50				
Super [D] Multigrade 20W50				
Super [D] Multigrade 20W50				
Super [D] Multigrade 20W50				
Super [D] Multigrade 20W50				

Super Tractor Universal 15W40	Motoarele si transmisiile tractoarelor	Ulei [M]	API CF/SF/CF-4, GL-4; CCMC D-4; Allison C-4	MB 227.1, 228.1; Caterpillar TO-2; ZF TE-ML 06B, 06C, 07B; Ford M2C-159B; JDM J27; MF M 1139	
Super Tractor Universal 15W40					
Super Tractor Universal 15W40					
Super Tractor Universal 15W40					
Supermotoroil 15W40	Motoare [D] si pe [B], serviciu moderat	Ulei [M]	API SF/CC; MIL- L-46152C; CCMC G-2/D-1		
Supermotoroil 15W40					
Supermotoroil 15W40					
Supermotoroil 15W40					
Supermotoroil 20W50					
Supermotoroil 20W50					
Supermotoroil 20W50					
Supermotoroil 20W50					
Tec 2T	Motoare in doi timi	Ulei [sS], cu reducerea emisiilor de fum	API TC; JASO FC		
Tec 4T 10W40	Motociclete cu motoare in patru timi	Ulei [sS]	API SJ; ACEA A3; JASO MA		
Tec 4T 15W50					
Tecsint 5W30	Motoare solicitate [D] si pe [B]	Ulei [S]	API SJ/CF; ACEA A3, B3; CCMC G-5/PD-2	MB 229.1; VW 502.00/505.00; BMW Long Life; Porsche	
Tecsint 5W30				MB 229.3; VW 502.00/505.00; Maserati; BMW Long Life 01; Porsche	
Tecsint 5W30				ACEA A3, B3, B4; API SL/CF; CCMC G-5/PD-2	MB 229.3; VW 502.00/505.00; Porsche
Tecsint 5W30					
Tecsint 5W30					
Tecsint SL 5W40					
Tecsint SL 5W40					
Tecsint SL 5W40					
Tecsint SL 5W40					
Tecsint SL 5W40					
Tecsint SL 5W40					
Tecsint SX 0W40					
Tecsint SX 0W40					
Tecsint SX 0W40					
Tecsint SX 0W40					
Tecsint SX 0W40					
Top 2000	Lubrifiere pe termen lung	Ulei [S], sapun anhidru de calciu	NLGI 2; DIN KP2K-30; ISO-L- XCCIB2	Lincoln (sisteme centralizate)	
Top 2000					
Top 2000					
Top 2000					
Top 2000					
Top 2000 Bio	Unsoare [BIO]a pentru rulmenti	Ulei [BIO] si sapun de Li	NLGI 2; KPE2K- 35;	MAN Li-P2B; Lincoln	
Top 2000 Bio					
Top 2000 Bio					
Top 2000 Bio					
Top 2000 Fettspray	Lubrifiere prin pulverizare	Ulei [S], sapun anhidru de calciu			
Top 2000 High Temp	Lubrifiere la temperaturi ridicate	Unsoare cu sapun complex Li-Ca			
Top 2000 High Temp					
Top 2000 High Temp					
Top 2000 High Temp					
Top 2000 High Temp					
Ulex MB 200	[PM] feroase si neferoase	Ulei [sS], cu biocizi			
Ulex MB 200					